

EUROCOOL

Change for Life

PULAR

Elegant finish

Minimalist simplicity

Seamless double louver

Curved edges & rounded Lines



The GREE logo, consisting of a stylized blue and orange 'G' followed by the word 'GREE' in a bold, blue, sans-serif font.

NON INVERTER


EXTRA COMFORT


Advanced Airflow

 7 Speed fan with vertical auto swing



Advanced Airflow

 Airflow distance of up to 10m ensures quick user comfort



EXTRA HEALTH


Easy user cleaning

 Integrated filter blocks impurities and is easy to remove and clean



Self cleaning

 Gree evaporator auto clean tech ensures the removal of dirt and odours



SET MODEL		GWH09AGAXA	GWH12AGBXB	GWH18AGCXD	GWH24AGDXE	GWH30AGEXF	GWH36AGEXH
Power Supply		220-240V, 50Hz, 1Ph					
Cooling Capacity	kW	2.5	3.3	5.0	6.5	9.2	10
Heating Capacity	kW	2.6	3.4	5.1	6.6	9.7	10.5
Cooling Power Input	W	830	1100	1599	2160	2615	2932
Heating Power Input	W	760	1062	1495	1940	2465	2908
Cooling Power Current	A	3.7	4.8	6.6	8.9	12	12
Heating Power Current	A	3.4	4.6	6.4	8.7	11.5	12
Rated Current	A	5.8	7	11.6	15	18.5	19.5
EER	W/W	3.01	3.01	3.01	3.01	3.52	3.41
COP	W/W	3.41	3.21	3.41	3.41	3.94	3.61
Air Flow Volume(H/M/L)	m ³ /h	520/470/420/250	590/520/400/320/300	650/590/480/370/340	950/840/690/590/540	1250/1100/980/820	1250/1100/1000/900/850
Dehumidifying Volume	L/h	0.8	1.6	1.8	1.8	3.0	3.2
INDOOR MODEL		GWH09AGAXA-K3NNA1A/I	GWH12AGBXB-K3NNA1B/I	GWH18AGCXD-K3NNA1B/I	GWH24AGDXE-K3NNA1B/I	GWH30AGEXF-K3NNA1A/I	GWH36AGEXH-K3NTA2A/I
Unit Dimensions Indoor (W×H×D)	mm	704×260×185	779×260×185	825×293×196	982×311×221	1075×333×246	1075×333×246
Box Dimensions Indoor (W/H/D)	mm	753×332×258	828×332×258	875×365×268	1044×385×297	1133×414×333	1133×414×333
Net Weight Indoor	kg	7.6	8.5	10.3	13.7	16.9	16.9
Gross Weight	kg	8.8	10	11.9	16	19.6	18.5
Indoor sound pressure(H/M/L)	dB (A)	40/37/31/25	40/37/34/30/28	41/40/36/34/32	45/42/38/35/34	48/45/40/37	49/46/44/42/41
Operating Temp (cool/heat)	°C	18 - 43 / -15 -24	18 - 43 / -7 -24	18 - 43 / -15 -24	18 - 43 / -15 -24	18 - 43 / -15 -24	18 - 43 / -7 -24
OUTDOOR MODEL		GWH09AGAXA-K3NNA1A/O	GWH12AGBXB-K3NNA1B/O	GWH18AGCXD-K3NNA1B/O	GWH24AGDXE-K3NNA1B/O	GWH30AGEXF-K3NNA1A/O	GWH36AGEXH-K3NTA2A/O
Unit Dimensions Outdoor (W×H×D)	mm	710×450×293	732×555×330	802×555×350	873×555×376	958×660×402	1000×746×427
Box Dimensions Outdoor (W×H×D)	mm	764×525×330	794×615×376	872×620×398	951×620×431	1032×737×456	1080×483×810
Net Weight Outdoor	kg	25	28	39	43	57	66
Gross Weight Outdoor	kg	27	31	41	46	61	71
Outdoor sound pressure(H/M/L)	dB (A)	49	52	53	55	60	59
Refrigerant	Type	R410a	R410a	R410a	R410a	R410a	R410a
Pipe size (Liquid/gas)	Inch	1/4" & 3/8"	1/4" & 1/2"	1/4" & 1/2"	1/4" & 1/2"	1/4" & 5/8"	1/4" & 5/8"
Pipe run max	m	15	20	25	25	30	25
Pipe run max (vertical)	m	10	10	10	10	10	10

